

Hengchun Tropical Botanic Garden

Index Seminum 2008-2009

Geographical location: 21°57' N / 120°49' E

Altitude: 280 m

Annual mean temperature: 24.0 °C

Annual precipitation: 2354.9mm

Director : Sen ,Yeong-Chium

Curator : Wu, Shu-Hui


Collector : Pan,Shun-Yong

Chen, Ke-Fang

Wu, Shu-Hui

Tung, Chung-Chung

Yang, Mei-Chun



| Month | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Set | Oct | Nov | Dec |
|-------|------|------|------|------|-------|-------|-------|-------|-------|-------|------|------|
| Temp. | 19.0 | 19.6 | 21.7 | 24.0 | 25.6 | 26.7 | 27.3 | 27.1 | 26.6 | 26.4 | 23.2 | 20.5 |
| Prec. | 52.8 | 33.6 | 36.9 | 65.4 | 176.2 | 433.5 | 512.6 | 449.1 | 298.7 | 128.5 | 95.2 | 72.4 |

Dicotyledons

Annonaceae

1. * *Goniothalamus amuyon* (Blanco) Merr.

Apocynaceae

2. * *Tabernaemontana dichotoma* Roxb.

Araliaceae

3. *Aralia bipinnata* Blanco.

4. * *Osmoxylon pectinatum* (Merr.) Philipson

5. *Schefflera arboricola* (Hayata) Kanehira

Aristolochiaceae

6. * *Aristolochia zollingeriana* Miq.

Aquifoliaceae

7. *Ilex rotunda* Thunb.

Asclepiadaceae

8. *Tylophora ovata* (Lindl.) Hook. ex Steud.

Bignoniaceae

9. * *Radermachia sinica* (Hance) Hemsl.

Boraginaceae

10. *Ehretia resinosa* Hance

Caprifoliaceae

11. * *Viburnum odoratissimum* Ker

Celastraceae

12. * *Euonymus japonicus* Thunb.

Combretaceae

13. *Terminalia catappa* L.

Convolvulaceae

14. *Evolvulus alsinoides* (L.) L.

15. *Ipomoea mauritiana* Jacq.

16. *Ipomoea pes-caprae* (L.) R. Br. subsp. *brasiliensis* (L.) Oostst.

17. *Ipomoea violacea* L.

18. *Stictocardia tiliifolia* (Desr.) Hallier f.

Cucurbitaceae

19. *Diplocyclos palmatus* (L.) C. Jeffrey

Ebenaceae

20.*Diospyros maritime* Blume

Euphorbiaceae

- 21.*Excoecaria agallocha* L.
- 22.*Flueggea suffruticosa* (Pallas) Baillon
- 23.*Glochidion philippicum* (Cavan.) C. B. Rob.
- 24.*Glochidion rubrum* Blume
- 25.*Macaranga tanarius* (L.) Muell.-Arg.
- 26.*Mallotus philippensis* (Lam.) Muell.-Arg.
- 27.*Melanolepis multiglandulosa* (Reinw.) Reich. f. & Zoll.
- 28.*Sapium sebiferum* (L.) Roxb.

Flagellariaceae

29.*Flagellaria indica* L.

Goodeniaceae

30. * *Scaevola taccada* (Gaertner) Roxb.

Guttiferae

31.*Calophyllum inophyllum* L.

Hernandiaceae

32.*Hernandia nymphaifolia* (Presl) Kubitzki

Icacinaceae

33. * *Gonocaryum calleryanum* (Baill.) Becc.
34. * *Nothapodytes nimmoniana* (Graham) Mabb.

Lauraceae

- 35.*Beilschmiedia erythrophloia* Hayata
- 36.*Cryptocarya concinna* Hance
- 37.*Machilus japonica* Siebold & Zucc. var. *kusanoi* (Hayata) J. C. Liao

Lecythidaceae

38.*Barringtonia racemosa* (L.) Bl. Ex DC.

Leeaceae

39. * *Leea guineensis* G. Don
40. * *Leea philippinensis* Merr.

Leguminosae

- 41.*Abrus precatorius* L.
- 42.*Canavalia lineata* (Thunb. ex Murray) DC.
- 43.*Canavalia rosea* (Sw.) DC.
- 44.*Crotalaria similis* Hemsl.
45. * *Gleditsia rolfei* Vidal
- 46.*Millettia pinnata* (L.) G. Panigrahi

- 47.*Pueraria montana* (Lour.) Merr.
- 48.*Senna occidentalis* (L.) Link
- 49.*Senna tora* (L.) Roxb.
- 50.*Vigna marina* (Burm.) Merr.

Lythraceae

- 51.*Pemphis acidula* J.R. Forst. & Forst.
- 52.*Lagerstroemia subcostata* Koehne

Malvaceae

- 53.*Thespesia populnea* (L.) Soladoye ex Correa
- 54.*Hibiscus taiwanensis* S. Y. Hu
- 55.*Hibiscus tiliaceus* L.

Meliaceae

- 56.*Aglaia formosana* Hayata
- 57.*Melia azedarach* Linn.

Moraceae

- 58.*Broussonetia papyrifera* (L.) L'Herit. ex Vent.
- 59.*Ficus ampelas* Burm. f.
60. * *Ficus erecta* Thunb. var. *beecheyana* (Hook. & Arn.) King
61. *Ficus irisana* Elm.
- 62.*Ficus pedunculosa* Miq. var. *mearnsii* (Merr.) Corner
- 63.*Ficus septica* Burm f.
- 64.*Ficus superba* (Miq.) Miq. var. *japonica* Miq.
- 65.*Ficus tinctoria* Forst. f.
- 66.*Ficus virgata* Reinw. Ex Bl.

Myricaceae

67. * *Myrica adenophora* Hance

Myrsinaceae

- 68.*Ardisia elliptica* Thunb.
- 69.*Ardisia sieboldii* Miq.

Myrtaceae

70. * *Rhodomyrtus tomentosa* (Ait.) Hassk.

Nyctaginaceae

- 71.*Pisonia umbellifera* (Forst.) Seem.

Oleaceae

72. * *Fraxinus griffithii* C. B. Clarke
- 73.*Fraxinus insularis* Hemsl.
74. * *Osmanthus marginatus* (Champ. ex Benth.) Hemsl.

Opiliaceae

- 75.*Champereia manillana* (Blume) Merr.

Pittosporaceae

76. *Pittosporum pentandrum* (Blanco) Merr.

Rhamnaceae

77. * *Colubrina asiatica* (L.) Brongn.

78. * *Ventilago elegans* Hemsl.

Rosaceae

79. *Eriobotrya deflexa* (Hemsl.) Nakai

Rubiaceae

80. * *Cinchona calisaya* Wedd.

81. *Gardenia jasminoides* Ellis

82. *Guettarda speciosa* L.

83. * *Morinda citrifolia* L.

84. *Morinda parvifolia* Bartl.

Rutaceae

85. *Clausena excavata* Burm. f.

86. *Melicope triphylla* (Lam.) Merr.

87. * *Murraya paniculata* (L.) Jack. var. *omphalocarpa* (Hayata) Swingle

Sapindaceae

88. *Allophylus timorensis* (DC.) Bl.

89. *Koelreuteria henryi* Dummer

90. *Sapindus mukorossii* Gaertn.

Sterculiaceae

91. *Kleinhovia hospital* L.

Taccaceae

92. *Tacca leontopetaloides* (L.) Kuntze

Theaceae

93. * *Schima superba* Gard. & Champ. var. *kankaoensis* (Hayata) H. Keng

Ulmaceae

94. *Trema orientalis* (L.) Blume

Verbenaceae

95. *Callicarpa formosana* Rolfe

96. *Clerodendrum trichotomum* Thunb.

97. *Premna serratifolia* Linn.

98. *Vitex rotundifolia* L. f.

Monocotyledons

Amaryllidaceae

99. * *Crinum asiaticum* L.

Arecaceae

100. *Phoenix hanceana* Naudin

101. *Ptychosperma angustifolium* Blume

Dioscoreaceae

102. *Dioscorea doryphora* Hance

ZINGIBERACEAE

103. *Alpinia zerumbet* (Pers.) B. L. Burtt & R. M. Smith

104. * *Costus speciosus* (Koenig) Smith

* Seeds were cultivated, the others collected in the wild nearby the garden

Hengchun Tropical Botanic Garden
Index Seminum 2008-2009

Published by Taiwan Forestry Research Institute

53 Nanhai Road, Taipei 100, Taiwan

Tel/ 886-2-23039978

<http://www.tfri.gov.tw>

Publisher Yue-Hsing Huang

Sponsor Council of Agriculture, Executive Yuan

Published in December 2008

Hengchun Tropical Botanic Garden
INDEX SEMINUM 2008-2009

Please state clearly your full address:

| | | | | | | | | | | | | | | |
|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 |
| 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
| 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 |
| 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | |

NOTICE :

1. Only few seeds will be provided in each request.
2. All the listed seeds are free of charge and will be shipped by air mail.
3. Please submit shipping permit if it is required.
4. Please send your request before March 31, 2009.
5. Please restrict your request to a maximum of 20 items.



Hengchun Tropical Botanic Garden

203 Kung-Yuien Road, Kenting, Heng-Chun
Ping-Tung County, Taiwan 946, R.O.C
屏東縣 946 恒春鎮墾丁里公園路 203 號

Fax/886-8-8861707

Tel/886-8-8861157