

INDEX SEMINUM 2016-2017

NOTICE :

1. Please send your request before June 30 2017.
2. Please restrict your request to a maximum of 40 items.
3. Seeds will be provided in small quantities.
4. Seeds will be dispatched on a first come first serve basis.
5. All the listed seeds are free of charge and will be shipped by air mail.
6. Please submit shipping permit if required by your country.


May, 2017

Seed Bank and Seed Laboratory

Division of Botanical Garden

Taiwan Forestry Research Institute

No.16, Sec. 2, Chongqing S. Rd., Zhongzheng Dist., Taipei 10066, Taiwan
Financial Support from the Council of Agriculture, Executive Yuan, Taiwan



MAP OF TAIWAN

No.	Collection site	Elevation	Year	Remark
GYMNOSPERMAE 裸子植物				

CEPHALOTAXACEAE 粗榧科

Cephalotaxus wilsoniana Hayata 台灣粗榧；威氏粗榧 {T¹, E²}

1.Jianshyr [II]³⁾尖石 1,699 m 2009 (C⁴)

CUPRESSACEAE 柏科

Calocedrus macrolepis Kurz var. *formosana* (Florin) Cheng & L. K. Fu
台灣肖楠 {T,E}

2.Ilan	[I]宜蘭	150 m	2003	(C)
3.Syhleng	[II]四稜	1,110 m	2003	(W)

Chamaecyparis formosensis Matsum. 紅檜 {T,N}

4.Chilanshan	[VI]棲蘭山	1,900 m	2003	(W)
5.Lihshyng	[III]力行	1,650 m	2007	(W)

Chamaecyparis obtusa Sieb. & Zucc. var. *formosana* (Hayata) Rehder
台灣扁柏 {T,E}

6.Chilanshan	[VI]棲蘭山	1,900 m	2003	(W)
7.Chilanshan	[VI]棲蘭山	2,100 m	2007	(W)

PINACEAE 松科

Abies kawakamii (Hayata) Ito 台灣冷杉 {T,E}

8.Kehnanguan	[III]克難關	3,150 m	2004	(W)
9.Kehnanguan	[III]克難關	2,908 m	2009	(W)

¹⁾ T: Tree S: Shrub V: Vine

²⁾ N: Native E: Endemic L: Naturalized X: Exotic

³⁾ The Roman numerals represent the region as indicated in the map of Taiwan (page 2).

⁴⁾ W: Collected from wild plants

C: Collected from cultivated plants

Picea morrisonicola Hayata 台灣雲杉 {T,E}

- | | | | |
|------------------|----------|---------|----------|
| 10.Songchuangang | [III]松泉崗 | 2,525 m | 2009 (W) |
| 11.Bilushi | [III]碧綠溪 | 2,374 m | 2010 (W) |

Pinus armandii Franchet var. *masteriana* Hayata 台灣華山松 {T,E}

- | | | | |
|------------------|----------|---------|----------|
| 12.Tayuling | [III]大禹嶺 | 2,705 m | 2012 (W) |
| 13.Songchuangang | [III]松泉崗 | 2,474 m | 2013 (W) |

Pinus morrisonicola Hayata 台灣五葉松 {T,E}

- | | | | |
|-----------|---------|---------|----------|
| 14.Kukuan | [III]谷關 | 1,000 m | 2006 (W) |
|-----------|---------|---------|----------|

Pinus taiwanensis Hayata 台灣二葉松 {T,E}

- | | | | |
|------------------|----------|---------|----------|
| 15.Songchuangang | [III]松泉崗 | 2,441 m | 2010 (W) |
| 16.Quanyuan | [III]關原 | 2,260 m | 2013 (W) |

Pseudotsuga wilsoniana Hayata 台灣黃杉；威氏帝杉 {T,E}

- | | | | |
|---------------|----------|---------|----------|
| 17.Herhuanshi | [III]合歡溪 | 1,991 m | 2009 (W) |
| 18.Biliuh | [VI]碧綠 | 2,014 m | 2013 (W) |

Tsuga chinensis (Franchet) Pritz. ex Diels var. *formosana* (Hayata)

Li & Keng 台灣鐵杉 {T,E}

- | | | | |
|-------------|----------|---------|----------|
| 19.Iuanfeng | [III]鳶峰 | 2,902 m | 2012 (W) |
| 20.Tayuling | [III]大禹嶺 | 2,565 m | 2012 (W) |

TAXACEAE 紅豆杉科

Taxus sumatrana (Miq.) de Laub. 南洋紅豆杉 {T,N}

- | | | | |
|----------------|----------|---------|----------|
| 21.Tahsuehshan | [III]大雪山 | 1,400 m | 2013 (C) |
|----------------|----------|---------|----------|

TAXODIACEAE 杉科

Cunninghamia konishii Hayata 繼大杉；香杉 {T,E}

- | | | | |
|--------------|----------|---------|----------|
| 22.Chyunshan | [III]出雲山 | 1,100 m | 2002 (C) |
| 23.Chyunshan | [III]出雲山 | 1,100 m | 2003 (C) |

<i>Cunninghamia lanceolata</i> (Lamb.) Hook.		杉木	{T,L}
24.Kukuan	[III]谷關	700 m	1979 (C)
25.Shuangchyi	[III]雙崎	1,400 m	1985 (C)

<i>Taiwania cryptomerioides</i> Hayata	台灣杉	{T,E}	
26.Tayuling	[III]大禹嶺	2,200 m	1997 (W)
27.Chilanshan	[VI]棲蘭山	1,900 m	1999 (W)

ANGIOSPERMAE 被子植物

ACERACEAE 楊樹科

<i>Acer albopurpurascens</i> Hayata	飛蛾子樹；樟葉槭	{T,E}	
28.Jianshyr	[II]尖石	755 m	2000 (W)
29.Songuan	[VI]松崙	1,905 m	2002 (W)

<i>Acer buergerianum</i> Miq. var. <i>formosanum</i> (Hayata) Sasaki	
台灣三角楓	{T,E}

30.Taipei	[II]台北	50 m	2011 (C)
31.Taipei	[II]台北	50 m	2014 (C)

<i>Acer kawakamii</i> Koidzumi	川上氏槭；尖葉槭	{T,E}
--------------------------------	----------	-------

32.Fushan	[I]福山	480 m	2007 (C)
33.Baling	[II]巴陵	1,798 m	2011 (W)

<i>Acer morrisiae</i> Hayata	台灣紅榨槭	{T,E}
------------------------------	-------	-------

34.Bilushi	[III]碧綠溪	2,375 m	2009 (W)
35.Lihshyng	[III]力行	1,908 m	2013 (W)

<i>Acer palmatum</i> Thunb. var. <i>pubescens</i> Li	台灣掌葉槭	{T,E}	
36.Syuan	[VI]思源	2,031 m	2012 (W)

Acer serrulatum Hayata 青楓 {T,E}

37.Syhleng	[II]四稜	1,132 m	2011	(W)
38.Syhleng	[II]四稜	1,126 m	2012	(W)
39.Syhleng	[II]四稜	1,115 m	2012	(W)
40.Shanshya	[II]三峽	1,110 m	2012	(W)

ANACARDIACEAE 漆樹科

Pistacia chinensis Bunge 黃連木 {T,N}

41.Zunda	[III]圳大	969 m	2007	(W)
42.Jianshyr	[II]尖石	1,272 m	2012	(W)
43.Renay	[III]仁愛	745 m	2012	(W)

Rhus javanica L. var. *roxburghiana* (DC.) Rehd. & Wilson

羅氏鹽膚木 {T,N}

44.Jianshyr	[II]尖石	1,295 m	2004	(W)
45.Hwanshan	[III]環山	1,564 m	2007	(W)

Rhus succedanea L. 木臘樹 {T,L}

46.Yuchyr	[III]魚池	765 m	1997	(W)
-----------	-----------	-------	------	-----

AQUIFOLIACEAE 冬青科

Ilex formosana Maxim. 糊櫟 {T,N}

47.Neyshuangchi	[II]內雙溪	345 m	2004	(W)
-----------------	-----------	-------	------	-----

Ilex lonicerifolia Hayata var. *matsudai* Yamamoto 松田氏冬青 {T,E}

48.Sowca	[V]壽卡	670 m	2002	(W)
----------	---------	-------	------	-----

Ilex maximowicziana Loes. 倒卵葉冬青；金平氏冬青 {T,N}

49.Fushan	[I]福山	500 m	2007	(C)
50.Fushan	[I]福山	500 m	2008	(C)

Ilex micrococca Maxim. 朱紅水木 {T,N}

51.Jiayang	[III]佳陽	1,781 m	2007 (W)
52.Syhleng	[II]四稜	1,057 m	2013 (W)

Ilex rotunda Thunb. 鐵冬青 {T,N}

53.Jilong	[I]基隆	300 m	2011 (C)
54.Yangmingshan	[II]陽明山	650 m	2013 (W)
55.Syhleng	[II]四稜	1,055 m	2013 (W)

Ilex uraiensis Mori & Yamamoto 烏來冬青 {T,N}

56.Fushan	[I]福山	500 m	2010 (C)
-----------	-------	-------	----------

ARALIACEAE 五加科

Aralia bipinnata Blanco 裡白楳木 {T,N}

57.Taimali	[VI]太麻里	450 m	2006 (W)
58.Quanyuan	[III]關原	2,350 m	2012 (W)

Schefflera arboricola Hayata 鵝掌藤 {T,N}

59.Jianshyr	[II]尖石	590 m	2005 (W)
60.Zunda	[III]圳大	96 m	2007 (W)

Schefflera octophylla (Lour.) Harms 鴨腳木 {T,N}

61.Lienhuachih	[III]蓮華池	550 m	2004 (W)
62.Fushan	[I]福山	500 m	2006 (W)

ASCLEPIADACEAE 蘿藦科

Marsdenia formosana Masam. 台灣牛嫋菜 {V,N}

63.Syhleng	[II]四稜	1,146 m	2011 (W)
------------	--------	---------	----------

BETULACEAE 樺木科

Alnus formosana (Burkhill ex Forbes & Hemsl.) Makino 台灣赤楊 {T,N}

64.Tayuling	[III]大禹嶺	2,480 m	2004 (W)
65.Lishan	[III]梨山	1,665 m	2010 (W)

Carpinus kawakamii Hayata 阿里山千金榆 {T,E}

66.Herhuanchi	[III]合歡溪	1,985 m	2007 (W)
67.Lishan	[III]梨山	1,584 m	2010 (W)

BIGNONIACEAE 紫葳科

Jacaranda acutifolia Humb. & Boupl 藍花楹 {T,X}

68.Taimali	[VI]太麻里	150 m	2006 (C)
------------	---------	-------	----------

Radermachia sinica (Hance) Hemsl. 山菜豆 {T,N}

69.Herngchuen	[V]恆春	50 m	2010 (W)
70.Ulai	[II]烏來	201 m	2012 (W)

BORAGINACEAE 紫草科

Ehretia longiflora Champ. ex Benth. 長花厚殼樹 {T,N}

71.Shanping	[IV]扇平	650 m	1999 (W)
72.Shanping	[IV]扇平	750 m	2004 (W)

Tournefortia argentea L. 白水木 {T,N}

73.Taimali	[VI]太麻里	10 m	2009 (W)
74.Herngchuen	[V]恆春	5 m	2013 (C)

CAPRIFOLIACEAE 忍冬科

Sambucus chinensis Lindl. 有骨消 {S,N}

75.Shanping	[IV]扇平	880 m	1998 (W)
76.Bilunchi	[III]畢祿溪	2,190 m	2004 (W)

Viburnum erosum Batal. 松田氏莢蒾 {S,N}

77.Nanshan [I]南山 1,376 m 2011 (W)

Viburnum luzonicum Rolfe 呂宋莢蒾 {S,N}

78.Taiping [I]泰平 468 m 2007 (W)
79.Sanguang [II]三光 1,234 m 2013 (W)

Viburnum odoratissimum Ker 瑪瑚樹 {T,N}

80.Muwdan [V]牡丹 380 m 2004 (W)
81.Herngchuen [V]恆春 50 m 2011 (W)

CELASTRACEAE 衛矛科

Celastrus kusanoi Hayata 大葉南蛇藤 {V,N}

82.Wuling [III]武陵 575 m 2004 (W)

Celastrus punctatus Thunb. 光果南蛇藤 {V,N}

83.Bilushi [III]碧綠溪 2,377 m 2009 (W)

Euonymus carnosus Hemsl. 厚葉衛矛 {S,E}

84.Bilushi [III]碧綠溪 1,983 m 2009 (W)
85.Bilushi [III]碧綠溪 2,152m 2013 (W)

COMBRETACEAE 使君子科

Terminalia catappa L. 櫻仁 {T,N}

86.Herngchuen [V]恆春 50 m 2010 (C)
87.Herngchuen [V]恆春 13 m 2011 (C)
88.Herngchuen [V]恆春 23 m 2011 (C)

CONVOLVULACEAE 旋花科

Ipomoea pes-caprae (L.) R. Br. subsp. *brasiliensis* (L.) Ooststr.

馬鞍藤 {V,E}

89.Herngchuen	[V]恆春	50 m	2006 (W)
90.Herngchuen	[V]恆春	5 m	2008 (W)

CORNACEAE 山茱萸科

Benthamidia japonica (Sieb. & Zucc.) Hara var. *chinensis* (Osborn)

Hara 四照花 {T,N}

91.Ilan	[I]宜蘭	575 m	2010 (W)
92.Ilan	[I]宜蘭	575 m	2012 (W)

CUCURBITACEAE 葫蘆科

Trichosanthes homophylla Hayata 芋葉括樓 {V,N}

93.Baling	[II]巴陵	803 m	2012 (W)
-----------	--------	-------	----------

DAPHNIPHYLLOACEAE 虎皮楠科

Daphniphyllum glaucescens Blume subsp. *oldhamii* (Hemsl.) T. C. Huang

奧氏虎皮楠 {T,N}

94.Yangmingshan	[II]陽明山	480 m	2014 (W)
-----------------	---------	-------	----------

EBENACEAE 柿樹科

Diospyros japonica Sieb.& Zucc. 山柿 {T,N}

95.Liidongshan	[II]李棟山	1,495 m	2013 (W)
96.Chingjing	[III]清境	1,650 m	2014 (W)

Diospyros maritima Blume 黃心柿 {T,N}

97.Herngchuen	[V]恆春	30 m	2016 (W)
---------------	-------	------	----------

Diospyros morrisiana Hance 山紅柿 {T,N}

98.Sanshya	[II]三峽	700 m	2004 (W)
------------	--------	-------	----------

Diospyros oldhamii Maxim 俄氏柿 {T,N}

99.Sanguang	[II]三光	647 m	2012 (W)
100.Sanguang	[II]三光	647 m	2013 (W)

ELAEOCARPACEAE 杜英科

Elaeocarpus japonicus Sieb. & Zucc. 薯豆 {T,N}

101.Yangmingshan	[II]陽明山	600 m	2002 (W)
102.Taiping	[I]泰平	430 m	2008 (W)

Elaeocarpus sylvestris (Lour.) Poir. var. *sylvestris* 杜英 {T,N}

103.Sowca	[V]壽卡	555 m	2002 (W)
104.Yangmingshan	[II]陽明山	450 m	2014 (W)

Sloanea formosana Li 猴歡喜 {T,N}

105.Lihshyng	[III]力行	1,775 m	2002 (W)
--------------	-----------	---------	----------

ERICACEAE 杜鵑花科

Pieris taiwanensis Hayata 台灣馬醉木 {S,N}

106.Fushan	[I]福山	450 m	2007 (C)
------------	---------	-------	----------

EUPHORBIACEAE 大戟科

Antidesma pentandrum Merr. var. *barbatum* (Presl) Merr. 枯里珍 {S,N}

107.Taitung	[VI]台東	60 m	2011 (C)
108.Herngchuen	[V]恆春	29 m	2011 (W)

Bischofia javanica Blume 茄苳；重陽木 {T,N}

109.Taipei	[II]台北	50 m	2011 (C)
110.Sanshya	[II]三峽	69 m	2012 (W)

Excoecaria agallocha L. 土沈香 {T,N}

111.Herngchuen	[V]恆春	10 m	2011 (W)
----------------	---------	------	----------

Glochidion rubrum Blume 細葉饅頭果 {T,N}
112.Ilan [I]宜蘭 270 m 2004 (W)

Mallotus paniculatus (Lam.) Muell.-Arg var. *paniculatus* 白匏仔 {T,N}
113.Sanshya [II]三峽 192 m 2012 (W)

Margaritaria indica (Dalz.) Airy Shaw 紫黃 {T,N}
114.Herengchuen [V]恆春 150 m 2008 (W)
115.Herengchuen [V]恆春 50 m 2011 (W)

Sapium discolor Muell.-Arg. 白柏 {T,E}
116.Muwdan [V]牡丹 375 m 2007 (W)
117.Baling [II]巴陵 710 m 2011 (W)

Sapium sebiferum (L.) Roxb. 烏柏 {T,L}
118.Yangmingshan [II]陽明山 370 m 2003 (W)
119. Baling [II]巴陵 698 m 2009 (C)

FAGACEAE 殼斗科

Castanopsis cuspidata (Thunb. ex Murray) Schottky var.
carlesii (Hemsl.) Yamazaki form. *carlesii* 長尾尖葉櫟 {T,N}
120.Bilushi [III]碧綠溪 1,944 m 2010 (W)

Cyclobalanopsis gilva (Bl.) Oerst. 赤皮 {T,N}
121.Sanshya [II]三峽 445 m 2011 (W)

Cyclobalanopsis glauca (Thunb. ex Murray) Oerst. var. *glauca*
青剛櫟 {T,N}
122.Syhleng [II]四稜 732 m 2012 (W)
123.Luoshao [III]洛韶 1,094 m 2013 (W)

Cyclobalanopsis morii (Hayata) Schottky 赤柯 {T,E}
124.Mayfeng [Ⅲ]梅峰 2,300 m 2011 (W)

Cyclobalanopsis stenophylloides (Hayata) Kudo & Masemune
狹葉櫟 {T,E}
125.Bilushi [Ⅲ]碧綠溪 2,347 m 2011 (W)
126.Bilushi [Ⅲ]碧綠溪 1,981 m 2013 (W)

Pasania glabra (Thunb. & Murray) Oerst. 子彈石櫟 {T,N}
127.Baling [Ⅱ]巴陵 793 m 2012 (W)
128.Baling [Ⅱ]巴陵 734 m 2013 (W)

Pasania hancei (Benth.) Schottky var. *ternaticupula* (Hayata) Liao
三斗石櫟 {T,E}
129.Lishan [Ⅲ]梨山 1,909 m 2007 (W)
130.Lishan [Ⅲ]梨山 1,669 m 2011 (W)

Pasania kawakamii (Hayata) Schottky 大葉石櫟 {T,E}
131.Bilushi [Ⅲ]碧綠溪 2,183 m 2010 (W)
132.Bilushi [Ⅲ]碧綠溪 2,157 m 2010 (W)

FLACOURTIACEAE 大風子科

Idesia polycarpa Maxim. 山桐子 {T,N}
133.Lishan [Ⅲ]梨山 1,785 m 2010 (W)
134.Lishan [Ⅲ]梨山 1,700 m 2013 (W)

GUTTIFERAE 金絲桃科

Garcinia subelliptica Merr. 菲島福木 {T,N}
135.Taipei [Ⅱ]台北 30 m 2009 (C)
136.Taipei [Ⅱ]台北 30 m 2012 (C)

GOODENIACEAE 草海桐科

Scaevola taccada (Gaertner) Roxb. 草海桐 {S,N}

137.Herngchuen	[V]恆春	50 m	2010	(W)
138.Herngchuen	[V]恆春	10 m	2011	(W)
139.Herngchuen	[V]恆春	13 m	2011	(W)

HAMAMELIDACEAE 金縷梅科

Liquidambar formosana Hance 楓香 {T,N}

140.Nanjuang	[II]南庄	800 m	2001	(C)
141.Liquan	[IV]禮觀	1,420 m	2002	(W)

JUGLANDACEAE 胡桃科

Engelhardia roxburghiana Wall. 黃杞 {T,N}

142.Fushan	[I]福山	650 m	2006	(W)
143.Fushan	[I]福山	650 m	2009	(W)

Juglans cathayensis Dode 野核桃；台灣胡桃 {T,N}

144.Lishan	[III]梨山	1,726 m	2009	(W)
145.Songmow	[IV]松茂	1,623 m	2012	(W)

Platycarya strobilacea Sieb. & Zucc. 化香樹 {T,N}

146.Hwanshan	[III]環山	1,564 m	2007	(W)
147.Hwanshan	[III]環山	1,419 m	2010	(W)

Pterocarya stenoptera DC. 楓楊樹 {T,X}

148.Taipei	[II]台北	30 m	2011	(C)
------------	--------	------	------	-----

LAURACEAE 樟科

Cinnamomum camphora (L.) Presl. var. *camphora* 樟樹 {T,N}

149.Ilan	[I]宜蘭	550 m	2003	(C)
150.Taipei	[II]台北	30 m	2013	(C)

Cinnamomum insulari-montanum Hayata 台灣肉桂 {T,E}
151.Lihshyng [Ⅲ]力行 1,489 m 2013 (W)

Lindera erythrocarpa Makino 鐵釘樹 {T,N}
152.Chilanshan [VI]棲蘭山 1,550 m 2013 (W)
153.Chilanshan [VI]棲蘭山 1,705 m 2013 (W)

Litsea cubeba (Lour.) Persoon 山胡椒 {T,N}
154.Kukuan [Ⅲ]谷關 1,050 m 2008 (W)
155.Mayfeng [Ⅲ]梅峰 2,134 m 2012 (W)

Machilus obovatifolia (Hayata) Kanehira & Sasaki 恒春楨楠 {T,E}
156.Taoyuan [Ⅱ]桃園 150 m 2012 (C)
157.Taoyuan [Ⅱ]桃園 150 m 2015 (C)

Neolitsea aciculata (Bl.) Koidz. var. *aciculata* 銳葉新木薑子 {T,N}
158.Beidongyanshan [Ⅲ]北東眼山 2,080 m 2013 (W)

Phoebe formosana (Hayata) Hayata 台灣雅楠 {T,N}
159.Sanshya [Ⅱ]三峽 312 m 2012 (W)

LEEACEAE 火筒樹科

Leea guineensis G. Don 火筒樹 {T,N}
160.Herngchuen [V]恆春 50 m 2007 (C)
161.Herngchuen [V]恆春 250 m 2008 (C)
162.Herngchuen [V]恆春 206 m 2012 (C)

LEGUMINOSAE 豆科

Acacia confusa Merr. 相思樹 {T,N}
163.Herngchuen [V]恆春 80 m 2008 (C)
164.Herngchuen [V]恆春 210 m 2011 (W)

<i>Adenanthera microsperma</i>	Teijsm & Binn.	小實孔雀豆	{T,X}
165.Liukuei	[IV]六龜	200 m	1996 (C)
166.Liukuei	[IV]六龜	200 m	2008 (C)

<i>Canavalia rosea</i> (Sw.) DC.	濱刀豆	{Twining herb, N}	
167.Herngchuen	[V]恆春	20 m	2008 (W)
168.Herngchuen	[V]恆春	10 m	2010 (W)

<i>Cassia fistula</i> L.	波斯皂莢；阿勃勒	{T,X}	
169.Taipei	[II]台北	30 m	2009 (C)

<i>Gleditsia rolfei</i> Vidal	恒春皂莢	{T,E}	
170.Damay	[V]大梅	265 m	1997 (W)

<i>Haematoxylon campechianum</i> L.	墨水樹	{T,X}	
171.Jiayi	[IV]嘉義	30 m	2010 (C)
172.Jiayi	[IV]嘉義	30 m	2012 (C)

<i>Maackia taiwanensis</i> Hoshi & Ohashi	台灣馬鞍樹	{T,E}	
173.Yangmingshan	[II]陽明山	852 m	2009 (W)

<i>Mucuna macrocarpa</i> Wall.	血藤	{V,N}	
174.Sanguang	[II]三光	827 m	2011 (W)

<i>Ormosia formosana</i> Kaneh.	台灣紅豆樹	{T,E}	
175.Fushan	[I]福山	550 m	2010 (C)
176.Fushan	[I]福山	550 m	2012 (C)

<i>Ormosia hengchuniana</i> Huang, Yang & Huang	恆春紅豆樹	{T,E}	
177.Daren	[VI]達仁	412 m	2010 (W)

<i>Sophora tomentosa</i> L.	毛苦蔘	{T,N}	
178.Taimali	[VI]太麻里	30 m	2009 (C)

179.Herengchuen	[V]恆春	20 m	2011	(W)
<i>Pongamia pinnata</i> (L.) Pierre	水黃皮	{T,N}		
180.Taipei	[II]台北	500 m	2002	(C)
181.Taipei	[II]台北	30 m	2006	(C)
<i>Vigna marina</i> (Burm.) Meer.	濱豇豆	{V,N}		
182.Herengchuen	[V]恆春	20 m	2010	(W)
<i>Wisteria sinensis</i> (Sims) Sweet	紫藤	{V,X}		
183.Taipei	[II]台北	30 m	2011	(C)

LOGANIACEAE 馬錢科

<i>Fagraea ceilanica</i> Thumb.	灰莉	{S,N}		
184.Herengchuen	[V]恆春	50 m	2009	(C)
185.Herengchuen	[V]恆春	50 m	2010	(C)

MAGNOLIACEAE 木蘭科

<i>Michelia compressa</i> (Maxim.) Sargent	烏心石	{T,N}		
186.Nanjuang	[II]南庄	800 m	2007	(W)
187.Nanjuang	[II]南庄	650 m	2009	(W)

MALVACEAE 紫草科

<i>Hibiscus taiwanensis</i> Hu	山芙蓉	{T,E}		
188.Taipei	[II]台北	150 m	2015	(C)

Hibiscus tiliaceus L. 黃槿 {T,N}

189.Herengchuen	[V]恆春	15 m	2011	(W)
190.Herengchuen	[V]恆春	5 m	2013	(W)

Thespesia populnea (L.) Solad ex Correa 繖楊 {T,N}

191.Herengchuen	[V]恆春	28 m	2011	(W)
-----------------	-------	------	------	-----

192.Herngchuen [V]恆春 20 m 2013 (W)

MELIACEAE 楠科

Melia azedarach L. 苦棟 {T,N}

193.Muwdan [V]牡丹 135 m 1995 (W)

Swietenia macrophylla King 大葉桃花心木 {T,X}

194.Taimali [VI]太麻里 100 m 2005 (C)

MORACEAE 桑科

Broussonetia papyrifera (L.) L'Herit. ex Vent 構樹 {T,N}

195.Baling [II]巴陵 640 m 2001 (W)

196.Shaonianchi [IV]少年溪 590 m 2004 (W)

MYRICACEAE 楊梅科

Myrica rubra (Lour.) Sieb. & Zucc. 楊梅 {T,N}

197.Fushan [I]福山 500 m 2006 (C)

198.Pingshi [I]平溪 383 m 2012 (W)

MYRSINACEAE 紫金牛科

Ardisia sieboldii Miq. 樹杞 {T,N}

199.Taoyuan [II]桃園 80 m 2014 (C)

NYSSACEAE 喜樹科

Camptotheca acuminata Decne. 喜樹 {T,X}

200.Lienhuachih [III]蓮華池 710 m 1998 (C)

201.Lienhuachih [III]蓮華池 710 m 1999 (C)

OLEACEAE 木犀科

Chionanthus retusus Lindl. & Paxt. 流蘇樹 {T,N}

202.Taipei	[II]台北	50 m	2000	(C)
203.Taipei	[II]台北	50 m	2005	(C)

Fraxinus griffithii C. B. Clarke 台灣白臘樹 {T,N}

204.Sowca	[V]壽卡	670 m	2002	(W)
205.Taipei	[II]台北	60 m	2011	(W)

Fraxinus insularis Hemsl. 台灣檉 {T,N}

206.Wuhsheh	[III]霧社	1,320 m	2001	(W)
-------------	---------	---------	------	-----

Ligustrum sinense Lour. 小實女貞 {T,N}

207.Syuan	[III]思源	1,940 m	1999	(W)
208.Syuan	[III]思源	1,870 m	2004	(W)

PALMAE(AREACACEAE) 棕櫚科

Caryota mitis Loureiro 簇立孔雀椰子 {T,X}

209.Taipei	[II]台北	30 m	2012	(C)
------------	--------	------	------	-----

Chrysalidocarpus lutescens (Bory.) H. A. Wendl. 黃椰子 {T,X}

210.Taipei	[II]台北	30 m	2012	(C)
------------	--------	------	------	-----

Livistona chinensis var. *boninensis* Becc. 蒲葵 {T,X}

211.Taoyuan	[II]桃園	100 m	2012	(C)
-------------	--------	-------	------	-----

Phoenix hanceana Naud. 台灣海棗 {T,N}

212.Herngchuen	[V]恆春	34 m	2011	(W)
213.Herngchuen	[V]恆春	30 m	2013	(W)

PITTOSPORACEAE 海桐科

Pittosporum illicioides Makino var. *illicioides* 疏果海桐 {T,N}

214.Derji	[III]德基	1,400 m	2002	(W)
215.Taoyuan	[II]桃園	150 m	2010	(C)

Pittosporum pentandrum (Blanco) Merr. 台灣海桐 {T,N}

- | | | | | |
|-----------------|---------|------|------|-----|
| 216.Taimali | [VI]太麻里 | 20 m | 2007 | (C) |
| 217.Herengchuen | [V]恆春 | 30 m | 2011 | (W) |

RHAMNACEAE 鼠李科

Rhamnus nakaharae (Hayata) Hayata 中原氏鼠李 {T,E}

- | | | | | |
|--------------------|-----------|---------|------|-----|
| 218.Nanshan | [VI]南山 | 1,376 m | 2011 | (W) |
| 219.Beidongyanshan | [III]北東眼山 | 1,511 m | 2013 | (W) |

Rhamnus crenata Sieb. & Zucc. 鈍齒鼠李 {T,N}

- | | | | | |
|-----------|---------|---------|------|-----|
| 220.Syuan | [III]思源 | 1,629 m | 2013 | (W) |
|-----------|---------|---------|------|-----|

ROSACEAE 蘭薇科

Eriobotrya deflexa (Hemsl.) Nakai form. *deflexa* 山枇杷 {T,E}

- | | | | | |
|----------------|----------|---------|------|-----|
| 221.Herhuanchi | [III]合歡溪 | 1,935 m | 2012 | (W) |
|----------------|----------|---------|------|-----|

Eriobotrya deflexa (Hemsl.) Nakai form. *buisanensis* (Hayata) Nakai 武威山枇杷 {T,E}

- | | | | | |
|-----------------|-------|------|------|-----|
| 222.Herengchuen | [V]恆春 | 50 m | 2008 | (W) |
|-----------------|-------|------|------|-----|

Malus doumeri (Bois.) Chev. C. R. 台灣蘋果 {T,N}

- | | | | | |
|---------------|---------|---------|------|-----|
| 223.Chingjing | [III]清境 | 2,015 m | 2009 | (W) |
|---------------|---------|---------|------|-----|

Photinia serratifolia (Desf.) Kalkman var. *ardisiifolia* (Hayata) Ohashi 台東石楠 {T,E}

- | | | | | |
|------------|-------|-------|------|-----|
| 224.Fushan | [I]福山 | 550 m | 2007 | (C) |
|------------|-------|-------|------|-----|

Photinia niitakayamensis Hayata 玉山假沙梨 {T,N}

- | | | | | |
|------------|---------|---------|------|-----|
| 225.Quanwu | [II]觀霧 | 2,040 m | 2000 | (W) |
| 226.Syuan | [III]思源 | 1,870 m | 2004 | (W) |

Photinia serratifolia (Desf.) Kalkman var. *serratifolia* 石楠 {T,N}

- | | | | | |
|----------------|----------|---------|------|-----|
| 227.Herhuanchi | [III]合歡溪 | 1,840 m | 1999 | (W) |
|----------------|----------|---------|------|-----|

Prunus buergeriana Miq. 布氏稠李 {T,N}
228.Mayfeng [Ⅲ]梅峰 2,300 m 2003 (W)

Prunus campanulata Maxim. 山櫻花 {T,N}
229.Herhuanchi [Ⅲ]合歡溪 1,990 m 2007 (C)
230.Dongshi [Ⅲ]東勢 300 m 2008 (C)

Prunus matuure Sasaki 太平山櫻花 {T,E}
231.Tipingshan [I]太平山 1,500 m 2002 (W)

Prunus phaeosticta (Hance) Maxim. 黑星櫻；墨點櫻桃 {T,N}
232.Liidongshan [Ⅱ]李棟山 1,350 m 2014 (W)

Prunus taiwaniana Hayata 霧社山櫻花 {T,E}
233.Tayuling [Ⅲ]大禹嶺 2,800 m 2003 (W)

Prunus transarisanensis Hayata 阿里山櫻花 {T,E}
234.Shenguang [Ⅲ]勝光 1,810 m 2003 (W)

Pyracantha koidzumii (Hayata) Rehder 臺灣火刺木 {T,E}
235.Taipei [Ⅱ]台北 30 m 2004 (C)

Rhaphiolepis indica (L.) Lindl. ex Ker var. *tashiroi* Hayata ex Matsum.
& Hayata 石斑木 {T,N}
236.Taipei [Ⅱ]台北 20 m 2013 (C)

Rhaphiolepis indica (L.) Lindl. ex Ker var. *umbellata* (Thunb. ex Murray)
Ohashi. 厚葉石斑木 {T,N}
237.Taipei [Ⅱ]台北 150 m 2011 (C)

Sorbus randaiensis (Hayata) Koidz. 燻大花楸 {T,E}

238.Juanfeng	[III]鳶峰	2,860 m	2004 (W)
239.Herhuanshan	[III]合歡山	3,165 m	2004 (W)

RUBIACEAE 茜草科

Morinda citrifolia L. 檬樹 {T,N}

240.Taimali	[VI]太麻里	20 m	2009 (C)
241.Herngchuen	[V]恆春	50 m	2010 (W)

Tricalysia dubia (Lindl.) Ohwi. 狗骨仔 {T,N}

242.Taipei	[II]台北	50 m	2009 (C)
243.Taipei	[II]台北	50 m	2010 (C)

RUTACEAE 芸香科

Acronychia pedunculata (L.) Miq. 降真香 {T,N}

244.Fushan	[I]福山	500 m	2010 (C)
------------	-------	-------	----------

Melicope semecarpifolia (Merr.) T. Hartley 山刈葉 {T,N}

245.lan	[I]宜蘭	150 m	2011 (C)
246.Taipei	[II]台北	50 m	2011 (C)

Murrya paniculata (L.) Jack. var. *paniculata* 月橘 {T,N}

247.Herngchuen	[V]恆春	50 m	2010 (C)
248.Herngchuen	[V]恆春	50 m	2013 (C)

Phellodendron amurense Rupr. var. *wilsonii* (Hayata & Kanehira) Chang
台灣黃蘖 {T,E}

249.Tipingshan	[I]太平山	1,650 m	2004 (W)
250.Chilanshan	[VI]棲蘭山	1,800 m	2004 (W)

Tetradium glabrifolium (Champ. ex Benth.) T. Hartley 賊仔樹 {T,N}

251.Jiayang	[III]佳陽	1,960 m	2004 (W)
252.Lishan	[III]梨山	1,560 m	2007 (W)
253.Chingjing	[III]清境	1,845 m	2015 (W)

<i>Tetradium ruticarpum</i> (A. Juss.) T. Hartley	吳茱萸	{T,N}
254.Chilanshan	[VI]棲蘭山	1,691 m 2007 (W)

<i>Zanthoxylum ailanthoides</i> Sieb. & Zucc.	食茱萸	{T,N}
255.Shanping	[IV]扇平	650 m 2004 (W)
256.Taimali	[VI]太麻里	450 m 2006 (W)

SABIACEAE 清風藤科

<i>Meliosma squamulata</i> Hance	綠樟	{T,N}
257.Beidongyanshan	[III]北東眼山	1,800 m 2007 (W)

SANTALACEAE 檀香科

<i>Santalum album</i> L.	檀香	{T,X}
258.Jiayi	[IV]嘉義	250 m 2012 (C)

SAPINDACEAE 無患子科

<i>Allophylus timorensis</i> (DC.) Blume	止宮樹	{S,N}
259.Herngchuen	[V]恆春	27 m 2011 (W)
260.Herngchuen	[V]恆春	35 m 2013 (W)

Dodonaea viscosa (L.) Jacq. 車桑子 {T,N}

261.Baling	[II]巴陵	870 m	1998 (W)
262.Baling	[II]巴陵	870 m	2009 (W)

Koelreuteria henryi Dummer 台灣欒樹 {T,E}

263.Taipei	[II]台北	50 m	2001 (C)
------------	--------	------	----------

264.Zhongbu [Ⅲ]中埔 50 m 2006 (C)

Sapindus mukorossi Gaertn. 無患子 {T,N}

265.Sanguang [Ⅱ]三光 624 m 2009 (W)

266.Sule [Ⅱ]蘇樂 550 m 2013 (W)

SCROPHULARIACEAE 玄蔴科

Paulownia kawakamii Ito 白桐 {T,N}

267.Tsyren [VI]慈恩 1,980 m 1997 (W)

268.Jiayang [Ⅲ]佳陽 1,765 m 2002 (W)

Paulownia × taiwaniana T. W. Hu & H. J. Chang 台灣泡桐 {T,E}

269.Sule [Ⅱ]蘇樂 563 m 2011 (C)

270.Baling [Ⅱ]巴陵 642 m 2013 (C)

SIMAROUBACEAE 苦木科

Ailanthus altissima (Miller) Swingle var. *tanakae* (Hayata) Sasakii 臭椿 {T,E}

271.Syuan [VI]思源 1,800 m 2004 (W)

272.Luoshao [Ⅲ]洛韶 1,525 m 2013 (W)

STAPHYLEACEAE 省沽油科

Euscaphis japonica (Thunb.) Kanitz. 野鴉椿 {T,N}

273.Yangmingshan [Ⅱ]陽明山 490 m 2006 (W)

274.Yangmingshan [Ⅱ]陽明山 854 m 2013 (W)

Turpinia formosana Nakai 山香圓 {T,E}

275.Ilan [I]宜蘭 405 m 2003 (W)

276.Syhleng [Ⅱ]四稜 955 m 2013 (W)

STERCULIACEAE 梧桐科

Firmiana simplex (L.) W. F. Wight 梧桐 {T,N}

277.Taipei	[II]台北	30 m	2006 (C)
278.Herengchuen	[V]恆春	30 m	2010 (W)

Reevesia formosana Sprague 台灣梭羅樹 {T,E}

279.Taipei	[II]台北	50 m	2002 (C)
280.Taipei	[II]台北	50 m	2004 (C)

STYRACACEAE 安息香科

Alniphyllum pterospermum Matsum. 假赤楊 {T,N}

281.Duonah	[IV]多納	1,290 m	1999 (W)
282.Syhleng	[II]四稜	1,125 m	1999 (W)

Styrax formosana Matsum. var. *formosana* 烏皮九芎 {T,E}

283.Nanshan	[VI]南山	1,418 m	2012 (W)
284.Liidongshan	[II]李棟山	1,576 m	2013 (W)

THEACEAE 山茶科

Adinandra formosana Hayata var. *formosana* 台灣楊桐 {T,E}

285.Jiayang	[III]佳陽	1,070 m	2004 (W)
-------------	-----------	---------	----------

Camellia brevistyla (Hayata) Cohen-Stuart 短柱山茶 {T, N }

286.Dahu	[II]大湖	380 m	2014 (C)
----------	----------	-------	----------

Cleyera japonica Thunb. var. *morii* (Yamamoto) Masamune

森氏紅淡比 {T,E}

287.Yangmingshan	[II]陽明山	450 m	2004 (W)
288.Yangmingshan	[II]陽明山	360 m	2006 (W)

Eurya chinensis Brown 米碎柃木 {T,N}

289.Yangmingshan	[II]陽明山	800 m	2003 (W)
290.Yangmingshan	[II]陽明山	468 m	2008 (W)

Eurya glaberrima Hayata 厚葉柃木 {T,E}
291.Yangmingshan [II]陽明山 360 m 2003 (W)

Gordonia axillaris (Roxb.) Dietr. 大頭茶 {T,N}
292.Yangmingshan [II]陽明山 370 m 2003 (W)
293.Datwenshan [II]大屯山 795 m 2004 (C)

Schima superba Gardn. & Champ. var. *kankaensis* (Hayata) Keng
港口木荷 {T,E}
294.Senyeong [V]森永 560 m 2002 (W)
295.Fushan [I]福山 550 m 2006 (C)

Schima superba Gardn. & Champ. var. *superba* 木荷 {T,N}
296.Taimali [VI]太麻里 450 m 2004 (C)
297.Jianshyr [II]尖石 1,160 m 2004 (W)

Ternstroemia gymnanthera (Wright & Arn.) Sprague 厚皮香 {T,N}
298.Taipei [II]台北 50 m 2009 (C)
299.Taipei [II]台北 50 m 2013 (C)

TROCHODENDRACEAE 昆蘭樹科

Trochodendron aralioides Sieb. & Zucc. 昆蘭樹 {T,N}
300.Datwenshan [II]大屯山 980 m 1999 (W)
301.Datwenshan [II]大屯山 1045 m 2007 (W)

ULMACEAE 榆科

Aphananthe aspera (Thunb. ex Murray) Planch. 糙葉樹 {T,N}
302.Mayshan [IV]梅山 1,175 m 1999 (W)

Celtis formosana Hayata 石朴 {T,E}
303.Jianshyr [II]尖石 1,272 m 2012 (W)
304.Sanguang [II]三光 746 m 2012 (W)

<i>Celtis sinensis</i> Person	朴樹；沙朴	{T,N}			
305.Taipei	[II]台北		50 m	2002	(W)
306.Taipei	[II]台北		50 m	2009	(W)

<i>Trema orientalis</i> (L.) Blume	山黃麻	{T,N}			
307.Taipei	[II]台北		50 m	2001	(W)
308.Sanyi	[II]三義		450 m	2002	(W)

<i>Ulmus parvifolia</i> Jacq.	榔榆	{T,N}			
309.Dahanshan	[V]大漢山		255 m	1997	(W)
310.Fuhshing	[IV]復興		715 m	1998	(W)

<i>Ulmus uyematsui</i> Hayata	阿里山榆	{T,E}			
311.Syuan	[VI]思源		1,930 m	2007	(W)
312.Lishan	[III]梨山		1,600 m	2016	(W)

<i>Zelkova serrata</i> (Thunb.) Makino	櫟樹	{T,N}			
313.Wuhsheh	[III]霧社		708 m	2007	(W)
314.Renay	[III]仁愛		713 m	2012	(W)
315.Luoshao	[III]洛韶		1,090 m	2013	(W)

VERBENACEAE 馬鞭草科

<i>Callicarpa japonica</i> Thunb. var. <i>luxurians</i> Rehd.	朝鮮紫珠	{S,N}			
316.Taipei	[II]台北		50 m	2011	(C)
317.Taipei	[II]台北		50 m	2015	(C)

<i>Premna microphylla</i> Turcz.	臭黃荊	{T,N}			
318.Datwenshan	[II]大屯山		750 m	2003	(W)

<i>Premna serratifolia</i> L.	臭娘子	{T,N}			
319.Herengchuen	[V]恆春		5 m	2011	(W)
320.Herengchuen	[V]恆春		5 m	2013	(W)

Vitex quinata (Lour.) F. N. Williams 山埔姜 {T,N}
321.Renlun [III]人倫 948 m 2007 (W)

Vitex rotundifolia L. 海埔姜 {S,N}
322.Herngchuen [V]恆春 50 m 2008 (W)

林木種子目錄 2016—2017

出版	行政院農業委員會林業試驗所 台北市中正區10066南海路53號 電話/ 02-2303-9978 傳真/ 02-2307-6220
發行人	黃裕星
編輯、攝影	楊正釧
採種及種子庫管理	楊正釧 (E-mail: yjc@tfri.gov.tw)
種子處理	楊正釧、朱羿潔、盧雅惠、林美秀、林怡萩
經費補助單位	行政院農業委員會
出版日期	中華民國一〇六年五月 初版
GPN	
ISBN	

INDEX SEMINUM 2016—2017

Published by	Taiwan Forestry Research Institute 53 Nanhai Road, Taipei 10066, Taiwan Tel/ (886-2)2303-9978 Fax/ (886-2)2307-6220
Publisher	Yue-Hsing Huang
Editor & Photographer	Jeng-Chuann Yang
Collections & Seedbank Manager	Jeng-Chuann Yang (E-mail: yjc@tfri.gov.tw)
Seed Treatment	Jeng-Chuann Yang, Yi-Chieh Chu, Ya-Hui Lu,

Mei-Shiow Lin & Yi-Chiu Lin

Sponsor Council of Agriculture, Executive Yuan, Taiwan

Published May 2017

GPN

ISBN